

EDIT SUITES

2-person 66 sqft. | 4-person 116 sqft.

- iMac Pro with Dell U2718Q UHD 4K Display
- Genelec 8010A Powered Speakers
- Focusrite Scarlet 2i2 2-channel audio interface
- Akai MPK 249 Midi Controller (on request)

STILL PHOTOGRAPHY

- 3x Sony a7 III with MC-11 E-Mount to Canon EF Mount Adapter
- Canon 6D

- 1 x Sigma 14mm F/1.8 DG HSM for Canon EF Mount
- 1 x Sigma 24mm F/1.4 DG HSM for Canon EF Mount
- 1 x Sigma 50mm F/1.4 DG HSM for Canon EF Mount
- 1 x Sigma 105mm F/1.4 DG HSM for Canon EF Mount
- 3 x Sigma 24-105mm F/4 DG OS for Canon EF Mount
- 1 x Canon EF 24-105mm F/4L

- 1 x Manfrotto 058B Tripod with 410 3-Way Geared Head
- 1 x Manfrotto 058B Tripod with 3-Way Head

Strobe Lighting

- 2 x Profoto A1 External Flash
- 1 x Profoto B10 Wireless Strobe Kit (2 Heads)
- 1 x Profoto D2 Wired Strobe Kit (1 x 1000 w/s, 2x 500 w/s)
- 1 x Profoto Universal Air Remote
- 1 x Profoto TTL-S Sony Air Remote
- 1 x Chimera Octa Plus 5
- 1 x Chimera Super Pro X Medium Silver Soft Box
- 1 x Chimera Small Strip Box
- 1 x Photek Umbrella Softlighter 46"
- 1 x Photek Umbrella Softlighter 60"
- 1 x Profoto Grid Set (5°, 10°, 20°)

Photography Studio Specs & Resources

- 621 sq ft.
- 18 ft. Cyclorama
- 4x20A Power Distro Box

** Consumables subject to availability, confirm at time of booking*

*** Static weights do not account for dynamic loads.*

5,000 lb total capacity

Updated Jan 28, 2020

1 of 4

Blackmagic URSA Mini 4.6K EF-mount camera Package

- Blackmagic URSA Mini Pro 4.6K G2 with Canon EF Mount
- Blackmagic URSA viewfinder
- Blackmagic Shoulder-mount Kit for URSA Mini with 15mm Baseplate
- 2 x 14.8V 135WH V-mount batteries and charger for URSA camera
- Blackmagic RAW SSD Recorder
- Shape Matte Box
- Shape Single-Sided 15mm Follow Focus Kit

Blackmagic 4K Studio Camera Kits

- 2 x Blackmagic Studio Camera 4K with Micro Four Thirds Mount
- 2 x Metabones MFT-EF Mount Speedbooster

Lenses, Media & Accessories

- Rokinon 14, 24, 35, 50, 85mm Cine DS Lens Kit
- 2 x Angelbird 500 GB SSD
- 2 x Angelbird CFast 2.0 128 GB Cards
- 7 x 128GB SD Cards
- 4 x 64GB SD Cards
- 2 x Blackmagic 7" Video Assist 4K with Magic Arm
- 2 x Mini-XLR to XLR audio cables for Video Assist 4k

Camera Support

- 3 x Camgear V10 3-section tripod with Fluid Head
- 3 x 114 Heavy Duty Universal Tripod Dolly
- Ronin-M 3-Axis Camera Gimbal

Audio Recording / Location Sound Equipment

- Sound Devices 688 Recorder with Power Supply and 32GB CF Card
- Tascam DR-60DmkII DSLR Recorder
- 2 x Sennheiser ME 66 Shotgun Microphone
- 2 x K-Tek Graphite Boom Pole
- 4 x Sennheiser Evolution Wireless G4
- 10 x Sennheiser HD280 Pro Headphones

VFX Live Studio Specs & Resources

152mm acoustic slab, acoustical seal around doors, and threshold acoustic glazing at west wall with control room.

- Cyclorama green screen wall 23' x 13'
- Acoustically treated ceiling
- 11 ft ceiling height to grid
- 943 sq ft.

* Consumables subject to availability, confirm at time of booking

** Static weights do not account for dynamic loads.

5,000 lb total capacity

LIGHTING / GRIP

Lighting

- Elation Professional Opto Branch 8 DMX Distributor/Booster
- Stage Setter 24-channel stage/dimmer lighting console
- Fiilex K301P P360 Pro 3-Light LED travel-style Kit
- 7 x Elation DW Fresnel lights
- 6 x Elation TVL-2000II LED panels

Grip

- 4 x Kupo C-Stand with Grip Head
- 3 x Manfrotto 1004BAC Master Baby Light Stand
- 3 x Cameron LS-10AC Baby Light Stand
- 4 x Manfrotto Combo Wind-up Roller Stand
- 10 x Baby Pipe Clamp

- 2 x 4x4' Open Frame with Opal Frost
- 8 x 25lb Sandbags

VFX CONTROL ROOM

Live Switcher Equipment

- Blackmagic ATEM TV Studio Pro 4k
- Blackmagic UltraStudio 4K Thunderbolt Interface
- Blackmagic SmartScope Duo 4k
- Blackmagic Smartview 4K Monitor
- Dynaudio LYD 48 Monitors
- Samsung 48 inch LCD TV (Wall-Mounted)
- NEC E656 LCD TV (Rolling Stand)
- 1 x Mac Mini with Intel 8-core Core i7-7820X and Blackmagic eGPU Pro
- Rosendahl Studiotechnik Nanosyncs HD Multi-standard Sync Clock
- 6 x Wired Comms Kit
- SDI Cable Looms and SDI Patch Cabling
- 1 x Blackmagic Mini Converter, HDMI-6GSDI
- 1 x Blackmagic Mini Converter, 6GSDI-HDMI
- Cable Patch Bay with SDI, CAT6, XLR, AES and AUX send-throughs
- Extra-tall pipe grid, 11' height, 30lb/linear ft capacity**

Software

- Adobe Creative Suite
- Final Cut X, Logic Pro X
- Avid Media Composer, Pro Tools
- DaVinci Resolve

* Consumables subject to availability, confirm at time of booking

** Static weights do not account for dynamic loads.
5,000 lb total capacity

SOUND RECORDING

Microphones

- Neumann U87
- 2 x Neumann KM184
- 2 x AEA N22 Ribbons
- 6 x Shure SM57
- Shure SM7b
- AKG D112
- 2 x Gefell M930
- 3 x Sennheiser MD421
- 2 x Sennheiser E614

Preamps

- 8 Channels Millennia HV-3D
- 8 Channels Phoenix Audio DRS-8 Mk2
- 8 SSL VHD Preamps
- 2 Neve 1073 DPX
- 1 Avalon VT-737sp Channel Strip
- 1 API Channel Strip (512 Preamp)

Outboard Effects

- Compressors: 2 Empirical Labs EL-8: Distressor
- Equalizers: 8 SSL 611 EQ (+Avalon 737 EQ, Neve 1073 EQ, API 550A EQ)
- Lexicon 300 Reverb
- Antelope Orion FX Processors

Musical Instruments

- Yamaha Custom Tour Drum kit
- Fender Telecaster American
- Fender Precision American
- Fender Twin Reverb Amp
- Ampeg V4 Head with 2x12 Cab
- Nord Electro6HP Keyboard

Monitors & Headphones

- Barefoot Footprint 1 Nearfield Speakers
- 10 x Sennheiser HD 280 Headphones
- Hear Technologies Headphone Cue system

Software and Plugins

- Pro Tools 2019
- Logic Pro X
- Ableton Live 10
- Reaper

** Consumables subject to availability, confirm at time of booking*

*** Static weights do not account for dynamic loads.*

5,000 lb total capacity

Updated Jan 28, 2020

4 of 4